



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

1/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product identifier**

**Trade name** PERMANONE® READY-TO-USE INSECTICIDE  
**Product code (UVP)** 05840227  
**SDS Number** 102000013922  
**EPA Registration No.** 432-1277

**Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide  
**Restrictions on use** See product label for restrictions.

**Information on manufacturer**

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Emergency telephone no.**

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)  
**Product Information Telephone Number** 1-800-331-2867  
**SDS Information or Request** SDSINFO.BCS-NA@bayer.com

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification in accordance with regulation HCS 29CFR §1910.1200**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

**Other hazards**

No particular hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Hazardous Component Name</b>	<b>CAS-No.</b>	<b>Concentration % by weight</b>
Permethrin	52645-53-1	3.98
Piperonyl butoxide	51-03-6	8.48
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	83.00



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

2/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

**SECTION 4: FIRST AID MEASURES**

**Description of first aid measures**

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** To date no symptoms are known.

**Indication of any immediate medical attention and special treatment needed**

**Risks** Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.

This product contains a pyrethroid.

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

**SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media**

**Suitable** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam, Water

**Unsuitable** None known.

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**Advice for firefighters**

**Special protective equipment for fire-fighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.



## PERMANONE® READY-TO-USE INSECTICIDE

Version 3.0 / USA  
10200013922

3/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

---

<b>Further information</b>	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
<b>Flash point</b>	> 93.3 °C
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

**Conditions for safe storage, including any incompatibilities**



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

4/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

**Requirements for storage areas and containers**

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Permethrin	52645-53-1	5 mg/m3 (TWA)	03 2014	ACGIH
Permethrin	52645-53-1	5 mg/m3 (REL)	2010	NIOSH
Permethrin	52645-53-1	5 mg/m3 (PEL)	02 2006	OSHA Z1
Permethrin	52645-53-1	5 mg/m3 (TWA)	1989	OSHA Z1A
Permethrin	52645-53-1	5 mg/m3 (TWA)	06 2008	TN OEL
Permethrin (Particulate.)	52645-53-1	50ug/m3 (ST ESL)	02 2013	TX ESL
Permethrin (Particulate.)	52645-53-1	5ug/m3 (AN ESL)	02 2013	TX ESL
Permethrin	52645-53-1	5 mg/m3 (TWA PEL)	09 2013	US CA OEL
Permethrin	52645-53-1	10 mg/m3 (TWA)		OES BCS*
Piperonyl butoxide	51-03-6	500 ppm (TWA)		OES BCS*
Distillates (petroleum), hydrotreated light paraffinic (Inhalable fraction.)	64742-55-8	5 mg/m3 (TWA)	03 2014	ACGIH
Distillates (petroleum), hydrotreated light paraffinic (Mist.)	64742-55-8	5 mg/m3 (REL)	2010	NIOSH
Distillates (petroleum), hydrotreated light paraffinic (Mist.)	64742-55-8	10 mg/m3 (STEL)	2010	NIOSH
Distillates (petroleum), hydrotreated light paraffinic (Mist.)	64742-55-8	5 mg/m3 (PEL)	02 2006	OSHA Z1
Distillates (petroleum), hydrotreated light paraffinic (Mist.)	64742-55-8	5 mg/m3 (TWA)	1989	OSHA Z1A
Distillates (petroleum), hydrotreated light paraffinic (Mist.)	64742-55-8	5 mg/m3 (TWA)	06 2008	TN OEL



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

5/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	1000ug/m3 (ST ESL)	07 2011	TX ESL
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	100ug/m3 (AN ESL)	07 2011	TX ESL
Distillates (petroleum), hydrotreated light paraffinic (Mist.)	64742-55-8	5 mg/m3 (TWA PEL)	08 2010	US CA OEL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

**Hand protection** Chemical resistant nitrile rubber gloves

**Eye protection** Safety glasses with side-shields

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures** Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	beige to brown
<b>Physical State</b>	Liquid
<b>Odor</b>	slight aromatic
<b>Odour Threshold</b>	no data available
<b>pH</b>	6.5 - 8.5
<b>Vapor Pressure</b>	no data available
<b>Vapor Density (Air = 1)</b>	no data available
<b>Density</b>	ca. 0.88 g/cm <sup>3</sup> at 20 °C
<b>Evaporation rate</b>	no data available
<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	no data available
<b>Water solubility</b>	not applicable
<b>Minimum Ignition Energy</b>	not applicable



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

6/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

---

<b>Decomposition temperature</b>	no data available
<b>Partition coefficient: n-octanol/water</b>	not applicable
<b>Viscosity</b>	21.2 mPa.s
<b>Flash point</b>	> 93.3 °C
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**

<b>Thermal decomposition</b>	no data available
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Heat, flames and sparks. Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	Strong oxidizing agents, Strong reducing agents
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>Exposure routes</b>	Skin contact, Ingestion, Inhalation, Eye contact
<b>Immediate Effects</b>	
<b>Eye</b>	May cause mild irritation to eyes.
<b>Skin</b>	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Harmful if absorbed through skin.
<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	May be harmful if inhaled.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD50 (rat) > 5,050 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (rat) > 5.2 mg/l



## PERMANONE® READY-TO-USE INSECTICIDE

Version 3.0 / USA  
102000013922

7/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

Exposure time: 4 h  
Determined in the form of liquid aerosol.

LC50 (rat) > 20.8 mg/l  
Exposure time: 1 h  
Determined in the form of liquid aerosol.  
Extrapolated from the 4 hr LC50.

<b>Acute dermal toxicity</b>	LD50 (rabbit) > 2,020 mg/kg
<b>Skin irritation</b>	Slight irritation (rabbit)
<b>Eye irritation</b>	Minimally irritating. (rabbit)
<b>Sensitisation</b>	Non-sensitizing. (guinea pig)

### Assessment repeated dose toxicity

Permethrin did not cause specific target organ toxicity in experimental animal studies.  
Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

### Assessment Mutagenicity

Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.  
Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment Carcinogenicity

Permethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): liver, Lungs. The mechanism that triggers tumours in rodents is not relevant for the low exposures encountered under normal use conditions.

Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

### ACGIH

Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	Group A2
--	------------	----------

### NTP

Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	1980
--	------------	------

### IARC

Permethrin	52645-53-1	Overall evaluation: 3
Piperonyl butoxide	51-03-6	Overall evaluation: 3
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	Overall evaluation: 1

### OSHA

None.

### Assessment toxicity to reproduction

Permethrin did not cause reproductive toxicity in a two-generation study in rats.  
Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Permethrin did not cause developmental toxicity in rats and rabbits.



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

8/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

**Further information**

Only acute toxicity studies have been performed on the formulated product.  
The non-acute information pertains to the active ingredient(s).

---

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Toxicity to fish</b>	LC50 (Poecilia reticulata (guppy)) 0.0076 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient permethrin. LC50 (Cyprinodon variegatus (sheepshead minnow)) 3.94 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient piperonyl butoxide.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0.00017 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient permethrin.  EC50 (Daphnia magna (Water flea)) 0.51 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient piperonyl butoxide.
<b>Toxicity to aquatic plants</b>	EC50 (Algae) 0.5 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient permethrin. EC50 (Algae) > 9.1 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient piperonyl butoxide.
<b>Biodegradability</b>	Permethrin: ; not rapidly biodegradable Piperonyl butoxide: ; not rapidly biodegradable
<b>Koc</b>	Permethrin: Koc: 100000 Piperonyl butoxide: Koc: 399 - 830
<b>Bioaccumulation</b>	Permethrin: Bioconcentration factor (BCF) 300; Does not bioaccumulate. Piperonyl butoxide: ; Potential bioaccumulation
<b>Mobility in soil</b>	Permethrin: Immobile in soil Piperonyl butoxide: Moderately mobile in soils
<b>Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.





**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
10200013922

9/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Product** Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

**Contaminated packaging** Triple rinse containers.  
Puncture container to avoid re-use.  
Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.  
If burned, stay out of smoke.  
Follow advice on product label and/or leaflet.

**RCRA Information** Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.  
When and if this material is determined to be a waste, if discarded, this material may carry RCRA waste code(s) **NON-RCRA**.  
State and local laws may vary and must be considered.

**SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG**

UN number **3082**  
Class 9  
Packaging group III  
Marine pollutant YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN, PIPERONYL BUTOXIDE SOLUTION)

**IATA**

UN number **3082**  
Class 9  
Packaging group III  
Environm. Hazardous Mark YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN, PIPERONYL BUTOXIDE SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
102000013922

10/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN  
POISON

---

**SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1277

**US Federal Regulations**

**TSCA list**

Piperonyl butoxide 51-03-6  
Distillates (petroleum), hydrotreated light 64742-55-8  
paraffinic

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**  
None.

**SARA Title III - Section 302 - Notification and Information**  
None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

Permethrin 52645-53-1 1.0%  
Piperonyl butoxide 51-03-6 1.0%

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

Permethrin 52645-53-1 NJ, RI  
Piperonyl butoxide 51-03-6 NJ, RI  
Distillates (petroleum), hydrotreated light 64742-55-8 CA, MN  
paraffinic

**Canadian Regulations**

**Canadian Domestic Substance List**

None.

**Environmental**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

Permethrin 52645-53-1

**International Regulations**

**European Inventory of Existing Commercial Substances (EINECS)**

Permethrin 52645-53-1



**PERMANONE® READY-TO-USE INSECTICIDE**

Version 3.0 / USA  
10200013922

11/11  
Revision Date: 02/09/2015  
Print Date: 02/09/2015

**EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed.  
Harmful if absorbed through skin.  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.  
Avoid contact with skin, eyes and clothing.

---

**SECTION 16: OTHER INFORMATION**

**NFPA 704 (National Fire Protection Association):**

Health - 1      Flammability - 1      Instability - 0      Others - none

**HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)**

Health - 1      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 02/09/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.